

Procedure

1. Add 1/4 (v/v) 2M LiCl
2. Add 5 volumes of EtOH absolute
3. Incubate at -20°C for 20 min; in the meantime chill the centrifuge
4. Spin 20' at max (15-20,000xg) with cooling
5. Wash with 70% EtOH, but do not disturb the pellet.
6. Spin 10-15' at max with cooling
7. Dry and resuspend in an appropriate volume of water